

Appendix 7. Combined CSENet 2000—OCSE Field Listing

Name	Length	Format	Description	Source
Action_Code				OCSE
Action_Reason				OCSE
Action_Resolution_Date	8	Numeric		OCSE
Action-Code-Error	1	Alphanumeric	Located in the CSENet 2000 Transaction Error Report and contains the Action Code from the erred transaction	CSENet
Action-Code-From	1	Alphanumeric	Located in the Sent FROM the CSENet 2000 server Header records and describe the action of a transaction.	CSENet
Action-Code-To	1	Alphanumeric	Located in the Sent TO CSENet 2000 server Header records and describe the action of a transaction.	CSENet
Action-Reason-From	5	Alphanumeric	Located in the Sent FROM the CSENet 2000 server Header records and provide the business definition of a transaction.	CSENet
Action-Reason-To	5	Alphanumeric	Located in the Sent TO CSENet 2000 server Header records and provide the business definition of a transaction.	CSENet
Action-Resolution-Date-Error	8	Numeric	Located in the CSENet 2000 Transaction Error Report and contains the value from the Action-Resolution-Date field from the erred transaction.	CSENet
Action-Resolution-Date-From	8	Numeric	Located in the Sent FROM the CSENet 2000 server Header records. Used in conjunction with certain Reason codes to indicate the date on which an event occurs.	CSENet
Action-Resolution-Date-To	8	Numeric	Located in Sent TO CSENet 2000 server Header records. Used in conjunction with certain Reason codes to indicate the date on which an event occurs.	CSENet
Address-Confirmed	1	Alphanumeric	Located in the Participant data block. Used when the participant's employer is valid.	CSENet
Adjustment/Non-Adjustment_Reason_Code				OCSE
Adjustment_Clerk_Code				OCSE
Administrative_Review_State				OCSE
Alias-1-First	16	Alphanumeric	Located in the NCP Locate data block. The 1st instance of the use of a pseudo first name by the non-custodial parent.	CSENet
Alias-1-Last	21	Alphanumeric	Located in NCP Locate data block. The 1st instance of the use of a pseudo last name by the non-custodial parent.	CSENet
Alias-1-Middle	16	Alphanumeric	Located in the NCP Locate data block. The 1st instance of the use of a pseudo middle name by the non-custodial parent.	CSENet
Alias-1-Suffix	3	Alphanumeric	Located in the NCP Locate data block. The 1st instance of the use of a pseudo name suffix, e.g., Jr., by the non-custodial parent.	CSENet
Alias-2-First	16	Alphanumeric	Located in the NCP Locate data block. The 2nd instance of the use of a pseudo first name by the non-custodial parent.	CSENet
Alias-2-Last	21	Alphanumeric	Located in the NCP Locate data block. The 2nd instance of the use of a pseudo last name by the non-custodial parent.	CSENet
Alias-2-Middle	16	Alphanumeric	Located in the NCP Locate data block. The 2nd instance of the use of a pseudo middle name by the non-custodial parent.	CSENet

Name	Length	Format	Description	Source
	3	Alphanumeric	Located in the NCP Locate data block. The 2nd instance of the use of a pseudo name suffix, e.g., Jr., by the non-custodial parent.	CSENet
Alias-3-First	16	Alphanumeric	Located in the NCP Locate data block. The 3rd instance of the use of a pseudo first name by the non-custodial parent.	CSENet
Alias-3-Last	21	Alphanumeric	Located in the NCP Locate data block. The 3rd instance of the use of a pseudo last name by the non-custodial parent.	CSENet
Alias-3-Middle	16	Alphanumeric	Located in the NCP Locate data block. The 3rd instance of the use of a pseudo middle name by the non-custodial parent.	CSENet
Alias-3-Suffix	3	Alphanumeric	Located in the NCP Locate data block. The 3rd instance of the use of a pseudo name suffix, e.g., Jr., by the non-custodial parent.	CSENet
Alias-SSN-1	9	Numeric	Located in the NCP ID data block and indicates the 1st instance of another social security number possibly used by the non-custodial parent.	CSENet
Alias-SSN-2	9	Numeric	Located in the NCP ID data block and indicates the 2nd instance of another social security number possibly used by the non-custodial parent.	CSENet
Alternative_Arrangement_(Yes/No)				OCSE
Amount_Calculated_Using_Guidelines				OCSE
Amount_Currently_Due				OCSE
Amount_Disbursed_to_Family				OCSE
Amount_Disbursed_to_IV-A_Agency				OCSE
Amount_Disbursed_to_IV-E_Agency				OCSE
Amount_Disbursed_to_Title_XIX_Agency				OCSE
Amount_Held_as_Future				OCSE
Amount_of_Adjustment				OCSE
Amount_of_Arrearage				OCSE
Amount_of_Arrearage_Certified				OCSE
Amount_of_Arrearage_Ordered				OCSE
Amount_of_Arrearage_Payment_Ordered				OCSE
Amount_of_Arrearage_Referred				OCSE
Amount_of_Asset				OCSE
Amount_of_Bond				OCSE
Amount_of_Collection/Payment				OCSE
Amount_of_Collection_Used_to_Determine_Eligibility				OCSE
Amount_of_Deviation_from_Guidelines				OCSE
Amount_of_Direct_Payment				OCSE
Amount_of_Federal_Incentive				OCSE
Amount_of_Federal_Tax_Refund_Offset_Collected				OCSE
Amount_of_Fee				OCSE
Amount_of_Fee_(or_Charge)				OCSE
Amount_of_IV-A_Grant				OCSE
Amount_of_IV-E_Payment				OCSE
Amount_of_Judgement				OCSE
Amount_of_Last_Payment/Collection				OCSE
Amount_of_Lien				OCSE
Amount_of_New_Order				OCSE
Amount_of_Pass-Through				OCSE

Name	Length	Format	Description	Source
Amount_of_Payment/Collection				OCSE
Amount_of_State_Tax_Refund_Offset_Collected				OCSE
Amount_of_Support_Ordered				OCSE
Amount_of_Support_Paid_by_Each_NCP				OCSE
Amount_of_Title_XIX_Payment				OCSE
Amount_of_UCI_Benefit				OCSE
Amount_of_UCI_Withholding				OCSE
Amount_of_Unreimbursed_Assistance				OCSE
Amount_of_Unreimbursed_Foster_Care_Payments				OCSE
Amount_Paid_to_Each_Political_Subdivision				OCSE
Amount_Previously_Referred_to_IRS_for_Collection				OCSE
Amount_Returned_to_Taxpayer				OCSE
Anticipated_Job_Placement_Date	8	Numeric		OCSE
Application_Identifier				OCSE
Arrearage_Payment_Frequency				OCSE
Arrears-Non-TANF-Amount	12	Numeric	Located in the Order data block and indicates the total dollar amount of the Non-TANF arrears balance.	CSENet
Arrears-Non-TANF-From-Date	8	Numeric	Located in the Order data block and indicates the start date of the period to which the Non-TANF arrears apply.	CSENet
Arrears-Non-TANF-Thru-Date	8	Numeric	Located in the Order data block and indicates the end date of the period to which the Non-TANF-arrears apply.	CSENet
Arrears-TANF-Amount	12	Numeric	Located in the Order data block and indicates the total dollar amount of the TANF arrears balance.	CSENet
Arrears-TANF-From-Date	8	Numeric	Located in the Order data block and indicates the start date of the period to which the TANF arrears apply.	CSENet
Arrears-TANF-Thru-Date	8	Numeric	Located in the Order data block and indicates the end date of the period to which the TANF arrears apply.	CSENet
Assignment_of_Rights_(Yes/No)				OCSE
Attach_to_be_Sent_Indicator				OCSE
Attachments-Due-Date	8	Numeric	Located in the Transaction Header record Sent FROM the CSENet 2000 server. This field is blank filled. (Field reserved for future use by CSENet 2000.)	CSENet
Attachments-Ind-From	1	Alphanumeric	Located in the Sent FROM the CSENet 2000 server Header and indicates whether attachments accompany a CSENet 2000 transaction.	CSENet
Attachments-Ind-To	1	Alphanumeric	Located in the Sent TO CSENet 2000 server Header records and indicates whether attachments accompany a CSENet 2000 transaction.	CSENet
Billing_Flag_(indicates_that_a_bill_should_be_sent_to_the_NCP)				OCSE
Billing_Frequency_(e.g.,_weekly,_monthly)				OCSE
Billing_Status_(current,_delinquent,_enforcement)				OCSE
Bond_Issuer				OCSE
Caretaker_if_not_parent_(data_elements_identical_to_CP_and_NCP)				OCSE
Case_Contact_Address				OCSE
Case_Contact_Fax_Number				OCSE
Case_Contact_Person				OCSE

Name	Length	Format	Description	Source
Case_Contact_Telephone				OCSE
Case_Identifier_(IV-D_case_number_or_court_order_number)				OCSE
Case_Location_Code				OCSE
Case_Status_Indicator				OCSE
Case_Type				OCSE
Case_Type_(new_code_for_non-IV-D)				OCSE
Case-Data-Ind-From	1	Numeric	Located in the Sent FROM the CSENet 2000 server Header records and indicates whether a Case data block is included in a CSENet 2000 transaction.	CSENet
Case-Data-Ind-To	1	Numeric	Located in the Sent TO CSENet 2000 server Header records and indicates whether a Case data block is included in a CSENet 2000 transaction.	CSENet
Case-ID-From	15	Alphanumeric	Located in the Sent FROM the CSENet 2000 server Header records and specifies the Case ID used by your jurisdiction.	CSENet
Case-ID-To	15	Alphanumeric	Located in the Sent TO CSENet 2000 server Header records and specifies the Case ID used by your jurisdiction.	CSENet
Case-Status	1	Alphanumeric	Located in the Case data block and indicates whether a child support case is open in your State.	CSENet
Case-Type	1	Alphanumeric	Located in the Case data block and indicates the type of child support case.	CSENet
Check_Number				OCSE
Child_Address				OCSE
Child_Covered_by_Insurance_(Yes/No)				OCSE
Child_Date_of_Birth	8	Numeric		OCSE
Child_Home_Address				OCSE
Child_Mailing_Address				OCSE
Child_Name				OCSE
Child_No_Longer_Resides_with_Recipient_(Yes/No)				OCSE
Child_Place_of_Birth				OCSE
Child_SSN				OCSE
Collection-Data-Ind-From	1	Numeric	Located in the Sent FROM the CSENet 2000 server Header records and indicates whether a Collection data block is included in a CSENet 2000 transaction.	CSENet
Collection-Data-Ind-To	1	Numeric	Located in the Sent TO CSENet 2000 server Header records and indicates whether a Collection data block is included in a CSENet 2000 transaction.	CSENet
Contact-Address-Line 1	25	Alphanumeric	Located in the Case data block. Line 1 of the street address for the contact person.	CSENet
Contact-Address-Line 2	25	Alphanumeric	Located in the Case data block. Line 2 of the street address for the contact person.	CSENet
Contact-City	18	Alphanumeric	Located in the Case data block and indicates the contact person's city.	CSENet
Contact-Name-First	16	Alphanumeric	Located in the Case data block and indicates the first name of the contact person.	CSENet
Contact-Name-Last	21	Alphanumeric	Located in the Case data block and indicates the last name of the contact person.	CSENet
Contact-Name-Middle	16	Alphanumeric	Located in the Case data block and indicates the middle name of the contact person.	CSENet

Name	Length	Format	Description	Source
Contact-Name-Suffix	3	Alphanumeric	Located in the Case data block and indicates the name suffix, e.g., Jr., of the contact person.	CSENet
Contact-Phone-Num	10	Numeric	Located in the Case data block and indicates the contact person's phone number.	CSENet
Contact-State	2	Alphanumeric	Located in the Case data block and indicates the contact person's State.	CSENet
Contact-Zip-1	5	Numeric	Located in the Case data block and specifies the 1st five digits of the ZIP Code for the contact person.	CSENet
Contact-Zip-2	4	Numeric	Located in the Case data block and specifies the last four digits of the ZIP Code for the contact person.	CSENet
Continuing_and_Exclusive_Jurisdiction_State				OCSE
Control/Batch_Number				OCSE
Controlling-Order-Flag	1	Alphanumeric	Located in the Order data block and indicates the status of the controlling order.	CSENet
Count_of_Data_Elements_in_each_Objective				OCSE
Court/Administrative_Agency_Address				OCSE
Court/Administrative_Agency_Name				OCSE
Court/Administrative_Hearing_Decision				OCSE
Court/Administrative_Order_Cancel_Date	8	Numeric		OCSE
Court/Administrative_Order_Data_Indicator				OCSE
Court/Administrative_Order_Effective_Date	8	Numeric		OCSE
Court/Administrative_Order_End_Date	8	Numeric		OCSE
Court/Administrative_Order_Filing_Date	8	Numeric		OCSE
Court/Administrative_Order_FIPS_Code				OCSE
Court/Administrative_Order_Number				OCSE
Court/Administrative_Review_Decision				OCSE
Court/Administrative_Review_State				OCSE
CP_Alias				OCSE
CP_Date_of_Birth	8	Numeric		OCSE
CP_Employer_Address				OCSE
CP_Employer_EIN				OCSE
CP_Employer_Name				OCSE
CP_Home_Address				OCSE
CP_Maiden_Name				OCSE
CP_Mailing_Address				OCSE
CP_Name				OCSE
CP_SSN				OCSE
CSENet 2000-Version-Number-From	3	Numeric	Located in the Sent FROM the CSENet 2000 server Header records. The current CSENet 2000 version number.	CSENet
CSENet 2000-Version-Number-To	3	Numeric	Located in the CSENet 2000 Sent TO CSENet 2000 server Header records. The current CSENet 2000 version number.	CSENet
Date(s)_of_Certified_Arrearage(s)	8	Numeric		OCSE
Date_Acknowledgement_of_Receipt_Sent	8	Numeric		OCSE
Date_Action_Taken	8	Numeric		OCSE
Date_Advance_Notice_Expires	8	Numeric		OCSE
Date_Advance_Notice_Sent	8	Numeric		OCSE
Date_Appeal_Filing_Lapses	8	Numeric		OCSE
Date_Application_Provided	8	Numeric		OCSE
Date_Application_Received_by_IV-D_Agency	8	Numeric		OCSE
Date_Application_Requested	8	Numeric		OCSE

Name	Length	Format	Description	Source
Date_Arrears_From	8	Numeric		OCSE
Date_Arrears_Through	8	Numeric		OCSE
Date_Case_Disposed	8	Numeric		OCSE
Date_Case_Established	8	Numeric		OCSE
Date_Case_Received_in_Function	8	Numeric		OCSE
Date_Case_Referred_to_Another_State/Jurisdiction	8	Numeric		OCSE
Date_Case_Referred_to_Next_Function	8	Numeric		OCSE
Date_Case_Status_Update_Provided_to_Initiating_State	8	Numeric		OCSE
Date_Court/Administrative_Review_Conducted	8	Numeric		OCSE
Date_Court/Administrative_Review_Requested	8	Numeric		OCSE
Date_Court/Administrative_Review_State_Provides_Order_State_with_Information	8	Numeric		OCSE
Date_Disbursed_to_Family	8	Numeric		OCSE
Date_Disbursed_to_IV-A_Agency	8	Numeric		OCSE
Date_Disbursed_to_IV-E_Agency	8	Numeric		OCSE
Date_Disbursed_to_Title_XIX_Agency	8	Numeric		OCSE
Date_Document/Notice_Sent	8	Numeric		OCSE
Date_Employer_Notice_Sent	8	Numeric		OCSE
Date_Enforcement_Action_Taken	8	Numeric		OCSE
Date_Federal_Tax_Refund_Offset_Disbursed	8	Numeric		OCSE
Date_Federal_Tax_Refund_Offset_Received	8	Numeric		OCSE
Date_Federal_Tax_Refund_Offset_Submitted	8	Numeric		OCSE
Date_Fee_Received	8	Numeric		OCSE
Date_Good_Cause_Determined	8	Numeric		OCSE
Date_Information/Response_Expected	8	Numeric		OCSE
Date_Information/Response_Received	8	Numeric		OCSE
Date_Information_Provided	8	Numeric		OCSE
Date_Information_Requested	8	Numeric		OCSE
Date_Information_Verified	8	Numeric		OCSE
Date_Initiating_State_Receives_Notice_Concerning_Review_and_Adjustment_of_Support_Order	8	Numeric		OCSE
Date_Inquiry_Received	8	Numeric		OCSE
Date_Intent_to_Contest_Received	8	Numeric		OCSE
Date_IV-A_Grant_Approved	8	Numeric		OCSE
Date_Judgement_Fulfilled	8	Numeric		OCSE
Date_Lien_Filed	8	Numeric		OCSE
Date_Medical_Coverage_Lapsed	8	Numeric		OCSE
Date_Medical_Support_Petitioned	8	Numeric		OCSE
Date_NCP_Notified	8	Numeric		OCSE
Date_NCP_Paid	8	Numeric		OCSE
Date_NCParent_Located	8	Numeric		OCSE
Date_NCP's_Spouse_Notified	8	Numeric		OCSE
Date_Non-Adjustment_Determined	8	Numeric		OCSE
Date_Notice_of_Closure_Sent	8	Numeric		OCSE
Date_Notice_of_Decreases/Deletions_to_Offset_Sent_OCSE	8	Numeric		OCSE
Date_Notice_of_Hearing_Sent_to_Initiating_State	8	Numeric		OCSE
Date_Notice_of_Noncompliance_Sent_to_Employer	8	Numeric		OCSE
Date_Notice_of_Noncompliance_Sent_to_NCP_Document/Notice_Recipient	8	Numeric		OCSE
Date_Notice_Sent_to_Each_Parent	8	Numeric		OCSE
Date_Notified_of_Joint_Tax_Return	8	Numeric		OCSE

Name	Length	Format	Description	Source
Date_of_Payment/Collection	8	Numeric		OCSE
Date_of_Transaction	8	Numeric		OCSE
Date_of_Adjustment	8	Numeric		OCSE
Date_of_Alternative_Arrangement	8	Numeric		OCSE
Date_of_Bond_(date_secured)	8	Numeric		OCSE
Date_of_Closure	8	Numeric		OCSE
Date_of_Court/Administrative_Hearing	8	Numeric		OCSE
Date_of_Court/Administrative_Review_Decision	8	Numeric		OCSE
Date_of_Decision_to_Petition_for_Adjustment	8	Numeric		OCSE
Date_of_Delinquency	8	Numeric		OCSE
Date_of_Direct_Payment	8	Numeric		OCSE
Date_of_Dismissal	8	Numeric		OCSE
Date_of_Genetic_Test	8	Numeric		OCSE
Date_of_Initial_Order	8	Numeric		OCSE
Date_of_Initial_Receipt	8	Numeric		OCSE
Date_of_IV-E_Approval	8	Numeric		OCSE
Date_of_Judgement	8	Numeric		OCSE
Date_of_Last_Payment/Collection	8	Numeric		OCSE
Date_of_Locate_Attempt	8	Numeric		OCSE
Date_of_Next_Enforcement_Action	8	Numeric		OCSE
Date_of_Order	8	Numeric		OCSE
Date_of_Payment/Collection	8	Numeric		OCSE
Date_of_Pre-Review	8	Numeric		OCSE
Date_of_Previous_Referral_to_IRS_for_Collection	8	Numeric		OCSE
Date_of_Result/Resolution	8	Numeric		OCSE
Date_of_Submittal	8	Numeric		OCSE
Date_of_Transaction	8	Numeric		OCSE
Date_of_Withholding_Determination	8	Numeric		OCSE
Date_Order_Adjusted	8	Numeric		OCSE
Date_Order_Adjusted_or_Decision_Not_to_Adjust	8	Numeric		OCSE
Date_Order_Effective	8	Numeric		OCSE
Date_Order_Established	8	Numeric		OCSE
Date_Order_Expires	8	Numeric		OCSE
Date_Order_State_Notified_of_a_Request_for_an_Administrative_Review	8	Numeric		OCSE
Date_Order_State_Received_Information_on_Administrative_Review	8	Numeric		OCSE
Date_Order_State_Received_Notice_of_a_Request_for_an_Administrative_Review	8	Numeric		OCSE
Date_Paternity_Established	8	Numeric		OCSE
Date_Paternity_Establishment_Filed	8	Numeric		OCSE
Date_Payment/Collection_Information_Provide_to_IV-A	8	Numeric		OCSE
Date_Payment_Due	8	Numeric		OCSE
Date_Program_Information_Provided	8	Numeric		OCSE
Date_Putative_Father_Excluded	8	Numeric		OCSE
Date_Putative_Father_Located	8	Numeric		OCSE
Date_Referral_Received	8	Numeric		OCSE
Date_Referred_to_Credit_Bureau	8	Numeric		OCSE
Date_Referred_to_Initial_Processing_Function	8	Numeric		OCSE
Date_Referred_to_Initial_Processing_Unit	8	Numeric		OCSE
Date_Responding_State_Notified_When_Information_Will_Be_Provided	8	Numeric		OCSE

Name	Length	Format	Description	Source
Date_Response_Expected	8	Numeric		OCSE
Date_Review_Initiated	8	Numeric		OCSE
Date_Service-of-Process_Completed	8	Numeric		OCSE
Date_Service-of-Process_Requested	8	Numeric		OCSE
Date_Service-of-Process_Unsuccessful	8	Numeric		OCSE
Date_State_Tax_Refund_Offset_Submitted	8	Numeric		OCSE
Date_Support_Amount_Established	8	Numeric		OCSE
Date_Title_XIX_Approved	8	Numeric		OCSE
Date_Title_XIX_Notified	8	Numeric		OCSE
Date_To_Re-Initiate_Support_Order_Action	8	Numeric		OCSE
Date_UC_Benefits_Terminate	8	Numeric		OCSE
Date_Withholding_Initiated	8	Numeric		OCSE
Date_Withholding_Request_Approved	8	Numeric		OCSE
Date_Withholding_Requested	8	Numeric		OCSE
Date_Withholding_Terminated	8	Numeric		OCSE
Date-Address-Confirmed	8	Numeric	Located in the Participant data block and indicates the date that the participant's employer's address was confirmed.	CSENet
Date-Employer-Confirmed	8	Numeric	Located in the Participant data block and indicates the date the participant's employer was confirmed.	CSENet
Date-Of-Birth-CP	8	Numeric	Located in the Participant data block and indicates the participant's date of birth.	CSENet
Date-Of-Birth-NCP	8	Numeric	Located in the NCP ID data block and indicates the non-custodial parent's date of birth.	CSENet
Date-Of-Collection	8	Numeric	Located in the Collection data block and indicates the date the payment was received.	CSENet
Date-Of-Last-Payment	8	Numeric	Located in the Order data block and indicates the date the last payment was received in this case.	CSENet
Date-Of-Posting	8	Numeric	Located in the Collection data block and indicates the date the payment was posted to the case.	CSENet
Date-Received-From	8	Numeric	Located in the Transaction Header sent FROM the CSENet 2000 server. The State CSE system may fill this field with the date the transaction was received.	CSENet
Debt-Type	2	Alphanumeric	Located in the Order data block and indicates the obligation type.	CSENet
Delinquency_Status				OCSE
Dependent_Child_State_of_Residence_for_last_6_months				OCSE
Dependent_Relation_to_NCP				OCSE
Dependent-Child-State-Of-Residence	2	Alphanumeric	Located in the Participant data block and indicates the State in which the dependent child resides.	CSENet
Dependent-Paternity-Status	1	Alphanumeric	Located in the Participant data block and indicates the status of paternity proceedings.	CSENet
Dependent-Relation-CP	1	Alphanumeric	Located in the Participant data block and indicates the relationship of the dependent to the custodial party in this case.	CSENet
Determined_Controlling_Order				OCSE
Distinguishing-Marks	20	Alphanumeric	Located in the NCP ID data block and indicates any mark e.g., a scar, on the non-custodial parent that is easily identifiable.	CSENet

Name	Length	Format	Description	Source
Docket-Num	17	Alphanumeric	Located in the Order data block and indicates the number assigned by the court.	CSENet
Document/Notice_Recipient				OCSE
Document/Notice_to_Recipient				OCSE
Document_Type				OCSE
Drivers-License-Num	20	Alphanumeric	Located in the NCP Locate data block and indicates the driver's license number issued to the non-custodial parent.	CSENet
Drivers-License-State	2	Alphanumeric	Located in the NCP Locate data block and indicates the State in which the non-custodial parent has a driver's license.	CSENet
Due-Date	8	Numeric	Located in the Transaction Header sent TO the CSENet 2000 server. This field must be blank filled by the State CSE System. (Field reserved for future use.)	CSENet
Effective_Date	8	Numeric		OCSE
Emp2-EIN	9	Numeric	Located in the Participant data block and indicates the participant's 2nd employer's Federal Employer Identification Number (FEIN.)	CSENet
Emp3-EIN	9	Numeric	Located in the Participant data block and indicates the participant's 3rd employer's Federal Employer Identification Number (FEIN.)	CSENet
Emp-EIN	9	Numeric	Located in the Participant data block and indicates the participant's employer's Federal Employer Identification Number (FEIN.)	CSENet
Employer2-Address-Line-1	25	Alphanumeric	Located in the NCP Locate data block. Line 1 of the non-custodial parent's 2nd employer's address.	CSENet
Employer2-Address-Line-2	25	Alphanumeric	Located in the NCP Locate data block. Line 2 of the non-custodial parent's 2nd employer's address.	CSENet
Employer2-City	18	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's 2nd employer's city.	CSENet
Employer2-Confirmed-Ind	1	Alphanumeric	Located in the NCP Locate data block and indicates if the non-custodial parent's 2nd employer has been confirmed.	CSENet
Employer2-Effective-Date	8	Numeric	Located in the NCP Locate data block and indicates when the non-custodial parent's 2nd employer was discovered.	CSENet
Employer2-End-Date	8	Numeric	Located in the NCP Locate data block and indicates when the non-custodial parent's 2nd employer became invalid.	CSENet
Employer2-Name	40	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's 2nd current employer.	CSENet
Employer2-Phone-Num	10	Numeric	Located in the NCP Locate data block and indicates the non-custodial parent's 2nd employer's phone number.	CSENet
Employer2-State	2	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's 2nd employer's State.	CSENet
Employer2-Zip-1	5	Numeric	Located in the NCP Locate data block and specifies the 1st five digits of the non-custodial parent's 2nd employer's ZIP Code.	CSENet
Employer2-Zip-2	4	Numeric	Located in the NCP Locate data block and indicates the last four digits of the non-custodial parent's 2nd employer's ZIP Code.	CSENet

Name	Length	Format	Description	Source
Employer3-Address-Line-1	25	Alphanumeric	Located in the NCP Locate data block. Line 1 of the non-custodial parent's 3rd employer's address.	CSENet
Employer3-Address-Line-2	25	Alphanumeric	Located in the NCP Locate data block. Line 2 of the non-custodial parent's 3rd employer's address.	CSENet
Employer3-City	18	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's 3rd employer's city.	CSENet
Employer3-Confirmed-Ind	1	Alphanumeric	Located in the NCP Locate data block and indicates if the non-custodial parent's 3rd employer has been confirmed.	CSENet
Employer3-Effective-Date	8	Numeric	Located in the NCP Locate data block and indicates when the non-custodial parent's 3rd employer was discovered.	CSENet
Employer3-End-Date	8	Numeric	Located in the NCP Locate data block and indicates when the non-custodial parent's 3rd employer became invalid.	CSENet
Employer3-Name	40	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's 3rd current employer.	CSENet
Employer3-Phone-Num	10	Numeric	Located in the NCP Locate data block and indicates the non-custodial parent's 3rd employer's phone number.	CSENet
Employer3-State	2	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's 3rd employer's State.	CSENet
Employer3-Zip-1	5	Numeric	Located in the NCP Locate data block and specifies the 1st five digits of the non-custodial parent's 3rd employer's ZIP Code.	CSENet
Employer3-Zip-2	4	Numeric	Located in the NCP Locate data block and indicates the last four digits of the non-custodial parent's 3rd employer's ZIP Code.	CSENet
Employer-Address-Line-1	25	Alphanumeric	Located in the NCP Locate data block. Line 1 of the non-custodial parent's employer's address.	CSENet
Employer-Address-Line-2	25	Alphanumeric	Located in the NCP Locate data block. Line 2 of the non-custodial parent's employer's address.	CSENet
Employer-City	18	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's employer's city.	CSENet
Employer-Confirmed	1	Alphanumeric	Located in the Participant data block and indicates if the participant's employer has been confirmed.	CSENet
Employer-Confirmed-Ind	1	Alphanumeric	Located in the NCP Locate data block and indicates if the non-custodial parent's employer has been confirmed.	CSENet
Employer-Effective-Date	8	Numeric	Located in the NCP Locate data block and indicates when the non-custodial parent's employer was discovered.	CSENet
Employer-EIN	9	Numeric	Located in the NCP Locate data block and indicates the Employer Identification Number for the employer listed in the Employer Name field.	CSENet
Employer-End-Date	8	Numeric	Located in the NCP Locate data block and indicates when the non-custodial parent's employer became invalid.	CSENet

Name	Length	Format	Description	Source
Employer-Name	40	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's current employer.	CSENet
Employer-Phone-Num	10	Numeric	Located in the NCP Locate data block and indicates the non-custodial parent's employer's phone number.	CSENet
Employer-State	2	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's employer's State.	CSENet
Employer-Zip-1	5	Numeric	Located in the NCP Locate data block and specifies the 1st five digits of the non-custodial parent's employer's ZIP Code.	CSENet
Employer-Zip-2	4	Numeric	Located in the NCP Locate data block and indicates the last four digits of the non-custodial parent's employer's ZIP Code.	CSENet
End_Date	8	Numeric		OCSE
Error_Reason_Code				OCSE
Error-Code	4	Alphanumeric	Located in the CSENet 2000 Transaction Error Report and contains a number assigned by the server to the particular error. All data is in ASCII format.	CSENet
Error-Mess	55	Alphanumeric	Located in the CSENet 2000 Transaction Error Report. Positions 91-102 contain the Transaction-Serial-Number from the erred transaction. Position 103 contains a space used as a separator. Positions 104-145 contain a description of the error. All data is in	CSENet
Error-Reason-Code-From	2	Alphanumeric	Located in the Sent FROM the CSENet 2000 server Header records. This field must be blank filled by the State CSE System. (Field reserved for future use.)	CSENet
Error-Reason-Code-To	2	Alphanumeric	Located in the Sent TO CSENet 2000 server Header records. This field must be blank filled by the State CSE System. (Field reserved for future use.)	CSENet
Expedited_Process_(Yes/No)				OCSE
Eye-Color	2	Alphanumeric	Located in the NCP ID data block and indicates the non-custodial parent's eye color.	CSENet
Family_Violence_Indicator				OCSE
Fax	10	Numeric	Located in the Case data block and specifies the contact person's fax number.	CSENet
FIPS_Code				OCSE
Foster-Care-Amount	12	Numeric	Located in the Order data block and indicates the total dollar amount of the foster care arrears balance.	CSENet
Foster-Care-From-Date	8	Numeric	Located in the Order data block and indicates the start date of the period to which foster care arrears apply.	CSENet
Foster-Care-Thru-Date	8	Numeric	Located in the Order data block and indicates the end date of the period to which the Foster Care arrears apply.	CSENet
Frequency_of_Withholding				OCSE
Functional_Type_Code				OCSE
Functional-Type-Code-Error	3	Alphanumeric	Located in the CSENet 2000 Transaction Error Report and contains the Functional Type Code from the transaction.	CSENet
Functional-Type-Code-From	3	Alphanumeric	Located in the Sent FROM the CSENet 2000 server Header records and indicates the child support business function of a transaction.	CSENet

Name	Length	Format	Description	Source
Functional-Type-Code-To	3	Alphanumeric	Located in the Sent TO CSENet 2000 server Header records and indicates the child support business function of a transaction.	CSENet
Gender-CP	1	Alphanumeric	Located in the Participant data block and indicates the sex of the participant.	CSENet
Gender-NCP	1	Alphanumeric	Located in the NCP ID data block and indicates the sex of the non-custodial parent.	CSENet
Genetic_Tests_Results_Code				OCSE
Good_Cause/Non-Cooperation_Code				OCSE
Guidelines_Rebuttal_Code				OCSE
Hair-Color	2	Alphanumeric	Located in the NCP ID data block and indicates the non-custodial parent's hair color.	CSENet
Height-Ft	1	Numeric	Located in the NCP ID data block and indicates the height (in feet) of the non-custodial parent.	CSENet
Height-In	2	Numeric	Located in the NCP ID data block and indicates the height (in inches) of the non-custodial parent.	CSENet
Home-Phone-Num	10	Numeric	Located in the NCP Locate data block and indicates the non-custodial parent's home phone number.	CSENet
Information_Source				OCSE
Information-Ind-From	1	Numeric	Located in the Sent FROM the CSENet 2000 server Header records and indicates whether an Information data block is included in a CSENet 2000 transaction.	CSENet
Information-Ind-To	1	Numeric	Located in the Sent TO CSENet 2000 server Header records and indicates whether an Information data block is included in a CSENet 2000 transaction.	CSENet
Information-Text-Line-1	80	Alphanumeric	Located in the Information data block and contains free form text.	CSENet
Information-Text-Line-2	80	Alphanumeric	Located in the Information data block and contains free form text.	CSENet
Information-Text-Line-3	80	Alphanumeric	Located in the Information data block and contains free form text.	CSENet
Information-Text-Line-4	80	Alphanumeric	Located in the Information data block and contains free form text.	CSENet
Information-Text-Line-5	80	Alphanumeric	Located in the Information data block and contains free form text.	CSENet
Initiating_Docket_Number				OCSE
Initiating-Docket-Num	17	Alphanumeric	Located in the Case data block. The initiating States docket number.	CSENet
Insurance-Carrier-Name	36	Alphanumeric	Located in the NCP Locate data block and indicates the name of the non-custodial parent's insurance carrier.	CSENet
Insurance-Policy-Num	20	Alphanumeric	Located in the NCP Locate data block and indicates the number assigned to the insurance policy by the non-custodial parent's insurance carrier.	CSENet
Interest_Rate_on_Arrearage				OCSE
Internet-Address	35	Alphanumeric	Located in the Case data block and indicates the contact person's Internet address.	CSENet
Interstate_Identifier_(Initiating/Responding)				OCSE
Interstate-Forms-Printed	1	Alphanumeric	Located in the Transaction Header Sent FROM the CSENet 2000 server. This field must be blank filled. (Field reserved for future use.)	CSENet

Name	Length	Format	Description	Source
Interstate-Payment-Method	1	Alphanumeric	Located in the Collection data block and indicates the means by which the State receives the payment.	CSENet
IV-A_Case_Number				OCSE
IV-D_Case_Number				OCSE
IV-D_Participant_Number				OCSE
IV-E_Agency_Address				OCSE
IV-E_Agency_Name				OCSE
IV-E_Case_Number				OCSE
Joint_Tax_Return_(Yes/No)				OCSE
Jurisdiction_Where_Lien_is_Recorded				OCSE
Last-Employer	40	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's last known employer.	CSENet
Last-Employer-Address-Line-1	25	Alphanumeric	Located in the NCP Locate data block. Line 1 of the non-custodial parent's last known employer's address.	CSENet
Last-Employer-Address-Line-2	25	Alphanumeric	Located in the NCP Locate data block. Line 2 of the non-custodial parent's last known employer's address.	CSENet
Last-Employer-City	18	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's last known employer's city.	CSENet
Last-Employer-Date	8	Numeric	Located in the NCP Locate data block and indicates the date when the non-custodial parent was most recently employed at this employer.	CSENet
Last-Employer-Eff-Date	8	Numeric	Located in the NCP Locate data block and indicates the date the non-custodial parent's last employer was discovered to be invalid.	CSENet
Last-Employer-State	2	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's last known employer's State.	CSENet
Last-Employer-Zip-1	5	Numeric	Located in the NCP Locate data block and specifies the 1st five digits of the non-custodial parent's last known employer's ZIP Code.	CSENet
Last-Employer-Zip-2	4	Numeric	Located in the NCP Locate data block and specifies the last four digits of the non-custodial parent's last known employer's ZIP Code.	CSENet
Last-Mail-Address-Date	8	Numeric	Located in the NCP Locate data block and indicates the date the non-custodial parent's last mailing address was discovered to be invalid.	CSENet
Last-Mail-Address-Line-1	25	Alphanumeric	Located in the NCP Locate data block. Line 1 of the non-custodial parent's last known mailing address.	CSENet
Last-Mail-Address-Line-2	25	Alphanumeric	Located in the NCP Locate data block. Line 2 of the non-custodial parent's last known mailing address.	CSENet
Last-Mail-City	18	Alphanumeric	Located in the NCP Locate data block and indicates the city of the non-custodial parent's last known mailing.	CSENet
Last-Mail-State	2	Alphanumeric	Located in the NCP Locate data block and indicates the State of the non-custodial parent's last known mailing address.	CSENet

Name	Length	Format	Description	Source
Last-Mail-Zip-1	5	Numeric	Located in the NCP Locate data block and specifies the 1st five digits of the ZIP Code of the non-custodial parent's last known mailing address.	CSENet
Last-Mail-Zip-2	4	Numeric	Located in the NCP Locate data block and specifies the last four digits of the ZIP Code of the non-custodial parent's last known mailing address.	CSENet
Last-Res-Address-Date	8	Numeric	Located in the NCP Locate data block and indicates the date the non-custodial parent's last residential address was discovered to be invalid.	CSENet
Last-Res-Address-Line-1	25	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's last known residential address. May be used to store a residential address that recently became invalid.	CSENet
Last-Res-Address-Line-2	25	Alphanumeric	Located in the NCP Locate data block. Line 2 of the Non-custodial parent's last known residential address. May be used to store a residential address that recently became invalid.	CSENet
Last-Res-City	18	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's last known city of residence.	CSENet
Last-Res-State	2	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's last known State of residence.	CSENet
Last-Res-Zip-1	5	Numeric	Located in the NCP Locate data block and specifies the 1st five digits of the ZIP Code of the non-custodial parent's last known residence .	
Last-Res-Zip-2	4	Numeric	Located in the NCP Locate data block and specifies the last four digits of the ZIP Code of the non-custodial parent's last known residence .	CSENet
Local-Case-ID	15	Alphanumeric	Located in the CSENet 2000 Transaction Error Report and contains the originating State's Case ID from the erred transaction.	CSENet
Local-FIPS-Code_Error	7	Alphanumeric	Located in the CSENet 2000 Transaction Error Report and contains the seven-digit FIPS code of the originating State from the erred transaction.	CSENet
Local-FIPS-County-From	3	Numeric	Located in the Transaction Header Sent FROM the CSENet 2000 server and specifies the 3rd, 4th, and 5th digits of the FIPS code of the State sending a transaction to your State.	CSENet
Local-FIPS-County-To	3	Numeric	Also located in the Transaction Header Sent TO the CSENet 2000 server and specifies the 3rd, 4th, and 5th digits of the FIPS code of the State receiving a transaction from your State	CSENet
Local-FIPS-State-From	2	Numeric	Located in the Transaction Header Sent FROM the CSENet 2000 server and specifies the 1st and 2nd digits of the FIPS code of the State sending a transaction to your State.	CSENet
Local-FIPS-State-To	2	Numeric	Located in the Transaction Header Sent TO the CSENet 2000 server and specifies the 1st and 2nd digits of the FIPS code of the State sending a transaction to your State.	CSENet

Name	Length	Format	Description	Source
Local-FIPS-Sub	2	Alphanumeric	Located in the Transaction Header Sent TO the CSENet 2000 server and specifies the 6th and 7th digits of the FIPS code of the State sending a transaction to your State.	CSENet
Locate-Only_Identifier				OCSE
Location_of_Asset				OCSE
Location_to_which_Payments_Should_be_Paid				OCSE
Maiden-Name	21	Alphanumeric	Located in the NCP ID data block and indicates the non-custodial parent's maiden name.	CSENet
Mailing-Address-Confirmed-Ind	1	Alphanumeric	Located in the NCP Locate data block and indicates if the mailing address has been verified.	CSENet
Mailing-Address-Effective-Date	8	Numeric	Located in the NCP Locate data block and indicates the date when the mailing address was discovered.	CSENet
Mailing-Address-End-Date	8	Numeric	Located in the NCP Locate data block and indicates the date when the non-custodial parent's mailing address was determined to be invalid.	CSENet
Mailing-Address-Line-1	25	Alphanumeric	Located in the NCP Locate data block. Line 1 of the non-custodial parent's mailing address.	CSENet
Mailing-Address-Line-2	25	Alphanumeric	Located in the NCP Locate data block. Line 2 of the non-custodial parent's mailing address.	CSENet
Mailing-City	18	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's mailing address city.	CSENet
Mailing-State	2	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's mailing address State.	CSENet
Mailing-Zip-1	5	Numeric	Located in the NCP Locate data block and specifies the 1st five digits of the non-custodial parent's mailing address ZIP Code.	CSENet
Mailing-Zip-2	4	Numeric	Located in the NCP Locate data block and specifies the last four digits of the non-custodial parent's mailing address ZIP Code.	CSENet
Medical_Coverage_Indicator_(Yes/No)				OCSE
Medical_Insurance_Available_to_NCP_(Yes/No)				OCSE
Medical_Insurance_Ordered_(Yes/No)				OCSE
Medical_Support_(Yes/No)				OCSE
Medical_Support_Included_(Yes/No)				OCSE
Medical_Support_Indicator_(Yes/No)				OCSE
Medical_Support_Only_Identifier				OCSE
Medical_Support_Services_Requested_(Yes/No)				OCSE
Medical-Amount	12	Numeric	Located in the Order data block and indicates the total dollar amount of medical arrears.	CSENet
Medical-From-Date	8	Numeric	Located in the Order data block and indicates the start date of the period to which medical arrears apply.	CSENet
Medical-Ordered	1	Alphanumeric	Located in the Order data block and indicates if medical coverage was ordered.	CSENet
Medical-Thru-Date	8	Numeric	Located in the Order data block and indicates the end date of the period to which the medical arrears apply.	CSENet
Method_of_Obligation_(Judicial,_Administrative,_Voluntary)				OCSE
Method_of_Payment				OCSE
Modification_of_Responding_Tribunal_Order				OCSE

Name	Length	Format	Description	Source
Mother's-Maiden-Or-Father's-Name	21	Alphanumeric	Located in the NCP ID data block and indicates the name of the non-custodial parent's mother or father.	CSENet
Name(s)_of_Consenting_Party				OCSE
Name_of_Child(ren)_Identified_in_Order				OCSE
Name_of_Payee_for_Support_Payments				OCSE
Name-First-CP	16	Alphanumeric	Located in the Participant data block and indicates the first name of the participant.	CSENet
Name-First-NCP	16	Alphanumeric	Located in the NCP ID data block and indicates the first name of the non-custodial parent.	CSENet
Name-Last-CP	21	Alphanumeric	Located in the Participant data block and indicates the last name of the participant.	CSENet
Name-Last-NCP	21	Alphanumeric	Located in the NCP ID data block and indicates the last name of the non-custodial parent	CSENet
Name-Middle-CP	16	Alphanumeric	Located in the Participant data block and indicates the middle name of the participant.	CSENet
Name-Middle-NCP	16	Alphanumeric	Located in the NCP ID data block and indicates the middle name of the non-custodial parent.	CSENet
Name-Suffix-CP	3	Alphanumeric	Located in the Participant data block and indicates the name suffix of the participant.	CSENet
Name-Suffix-NCP	3	Alphanumeric	Located in the NCP ID data block and indicates the name suffix e.g., Jr., of the non-custodial parent.	CSENet
Narrative_Pertaining_to_Information_Received				OCSE
NCP_Last_Known_Employer				OCSE
NCP_Last_Known_Employer_Address				OCSE
NCP_Last_Known_Employer_EIN				OCSE
NCP_Alias				OCSE
NCP_Date_of_Birth	8	Numeric		OCSE
NCP_Distinguish_Marks				OCSE
NCP_Driver_Licence_Number				OCSE
NCP_Driver_Licence_State				OCSE
NCP_Employer				OCSE
NCP_Employer_Address				OCSE
NCP_Employer_Federal_EIN				OCSE
NCP_Employer_Name				OCSE
NCP_Employer_Phone_Number				OCSE
NCP_Eye_Color				OCSE
NCP_Father's_Name				OCSE
NCP_Federal_EIN				OCSE
NCP_Federal_EIN_if_self_employed				OCSE
NCP_Hair_Color				OCSE
NCP_Health/Medical_Insurance_(Yes/No)				OCSE
NCP_Height				OCSE
NCP_Home_Address				OCSE
NCP_Home_Phone_Number				OCSE
NCP_Income				OCSE
NCP_Last_Home_Address				OCSE
NCP_Last_Known_Employer_Address				OCSE
NCP_Last_Known_Employer_Name				OCSE
NCP_Living_With_Recipient				OCSE
NCP_Maiden_Name				OCSE

Name	Length	Format	Description	Source
NCP_Mailing_Address				OCSE
NCP_Medical_Insurance_(Yes/No)				OCSE
NCP_Medical_Insurance_Carrier				OCSE
NCP_Medical_Insurance_Carrier_Address				OCSE
NCP_Medical_Insurance_Policy_Number				OCSE
NCP_Medical_Insurance_Policy_Number_and_Individuals_Covered				OCSE
NCP_Military_Service_Information				OCSE
NCP_Mother's_Name				OCSE
NCP_Name				OCSE
NCP_Occupation				OCSE
NCP_Place_of_Birth				OCSE
NCP_Race				OCSE
NCP_Receiving_Federal_Benefits_(Yes/No)				OCSE
NCP_Sex				OCSE
NCP_Spouse_Name				OCSE
NCP_SSN				OCSE
NCP_Weight				OCSE
NCP_Work_Phone				OCSE
NCP-Identification-Ind-From	1	Numeric	Located in the Sent FROM the CSENet 2000 server Header. Indicates whether a NCP Identification data block is included in a CSENet 2000 transaction.	CSENet
NCP-Identification-Ind-To	1	Numeric	Located in the Sent TO CSENet 2000 server Header records. Indicates whether a NCP Identification data block is included in a CSENet 2000 transaction.	CSENet
NCP-Locate-Data-Ind-From	1	Numeric	Located in the Sent FROM the CSENet 2000 server Header. Indicates whether a NCP Locate data block is included in a CSENet 2000 transaction.	CSENet
NCP-Locate-Data-Ind-To	1	Numeric	Located in Sent TO CSENet 2000 server Header records. Indicates whether a NCP Locate data block is included in a CSENet 2000 transaction.	CSENet
NCP's_Medical_Insurance_Carrier				OCSE
NCP's_Medical_Insurance_Policy_Number				OCSE
New-Case-ID	15	Alphanumeric	Located in the Information data block and indicates if the IV-D Case identification number has been changed.	CSENet
New-Order-Flag	1	Alphanumeric	Located in the Order data block and indicates if the order is new.	CSENet
Non-Disclosure_Finding				OCSE
Nondisclosure-Finding	1	Alphanumeric	Located in the Case data block and indicates that information should not be disclosed to the non-custodial parent, custodial party or other participants in the case.	CSENet
Occupation	32	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's profession.	CSENet
Order-Arrears-Freq	1	Alphanumeric	Located in the Order data block and indicates the frequency of arrears payment.	CSENet
Order-Arrears-Freq-Amount	12	Numeric	Located in the Order data block and indicates the dollar amount paid to arrears at the frequency ordered.	CSENet
Order-Arrears-Total-Amount	12	Numeric	Located in the Order data block and indicates the total dollar amount of arrears owed.	CSENet

Name	Length	Format	Description	Source
Order-Cancel-Date	8	Numeric	Located in the Order data block and indicates the date that the order was canceled. If entered, must be greater than the Order-Effective-Date field.	CSENet
Order-Data-Ind-To	1	Numeric	Located in Sent TO CSENet 2000 server Header records. Indicates whether an Order data block is included in a CSENet 2000 transaction.	CSENet
Order-Data-In-From	1	Numeric	Located in the Sent FROM the CSENet 2000 server Header. Indicates whether an Order data block is included in a CSENet 2000 transaction.	CSENet
Order-Effective-Date	8	Numeric	Located in the Order data block and indicates the date that obligations start to accrue.	CSENet
Order-End-Date	8	Numeric	Located in the Order data block and indicates the date that the obligation terminates. If entered, must be greater than the Order-Effective-Date field.	CSENet
Order-Filing-Date	8	Numeric	Located in the Order data block and indicates the date in which the order was established.	CSENet
Order-FIPS-County	3	Numeric	Located in the Order data block and indicates the county FIPS code in which the order was established.	CSENet
Order-FIPS-State	2	Numeric	Located in the Order data block and indicates the State FIPS code in which the order was established.	CSENet
Order-FIPS-Sub	2	Alphanumeric	Located in the Order data block and specifies the 6th and 7th digits of the FIPS code in the State in which the order was established.	CSENet
Order-Freq	1	Alphanumeric	Located in the Order data block and indicates the frequency of payment	CSENet
Order-Freq-Amount	12	Numeric	Located in the Order data block and indicates the dollar amount required to repay outstanding arrears.	CSENet
Order-ID	17	Alphanumeric	Located in the Order data block and indicates the identification number assigned to the order.	CSENet
Order-Type	1	Alphanumeric	Located in the Order data block and indicates the type of order.	CSENet
Other_Case_Number				OCSE
Other_State/Jurisdiction_Name				OCSE
Other-Case-ID	15	Alphanumeric	Located in the CSENet 2000 Transaction Error Report and contains the receiving State's Case ID from the erred transaction.	CSENet
Other-Case-ID-From	15	Alphanumeric	Located in the Sent FROM the CSENet 2000 server Header. Identifies the Case Id used by the jurisdiction with which you are communicating.	CSENet
Other-Case-ID-To	15	Alphanumeric	Located in the Sent TO CSENet 2000 server Header records. Identifies the Case Id used by the jurisdiction with which you are communicating.	CSENet
Other-FIPS-Code	7	Alphanumeric	Located in the CSENet 2000 Transaction Error Report and contains the receiving State's seven digit FIPS Code from the erred transaction.	CSENet
Other-FIPS-County-From	3	Numeric	Located in the Transaction Header Sent FROM the CSENet 2000 server and specifies the 3rd, 4th, and 5th digits of the States FIPS code sending a transaction.	CSENet

Name	Length	Format	Description	Source
Other-FIPS-County-To	3	Numeric	Located in the Transaction Header Sent TO the CSENet 2000 server and specifies the 3rd, 4th, and 5th digits of the FIPS code of the State for which the transaction is intended.	CSENet
Other-FIPS-State-From	2	Numeric	Located in the Transaction Header Sent FROM the CSENet 2000 server and specifies the 1st and 2nd digits of the State's FIPS code sending a transaction.	CSENet
Other-FIPS-State-To	2	Numeric	Located in the Transaction Header Sent TO the CSENet 2000 server and specifies the 1st and 2nd digits of the FIPS code of the State to which the transaction is intended.	CSENet
Other-FIPS-Sub-From	2	Alphanumeric	Located in the Transaction Header Sent FROM the CSENet 2000 server and specifies the 6th and 7th digits of the State's FIPS code sending a transaction.	CSENet
Other-FIPS-Sub-To	2	Alphanumeric	Located in the Transaction Header Sent TO the CSENet 2000 server and specifies the 6th and 7th digits of the FIPS code of the State for which a transaction is intended.	CSENet
Overdue-Ind	1	Numeric	Located in the Transaction Header Sent TO the CSENet 200 server. This field must be filled with 0 by the State CSE System. (Field reserved for future use.)	CSENet
Parent_Military_Service_Information				OCSE
Parent_Name				OCSE
Parent_Received_Federal_Benefits_(Yes/No)				OCSE
Parent_SSN				OCSE
Participant_Birth_Date	8	Numeric		OCSE
Participant_Name				OCSE
Participant_Race				OCSE
Participant_Relationship_Code				OCSE
Participant_Sex				OCSE
Participant_SSN				OCSE
Participant_Status				OCSE
Participant-Address-Line-1	25	Alphanumeric	Located in the Participant data block. Line 1 of the participant's address.	CSENet
Participant-Address-Line-2	25	Alphanumeric	Located in the Participant data block. Line 2 of the participant's address.	CSENet
Participant-City	18	Alphanumeric	Located in the Participant data block and indicates the participant's city of residence.	CSENet
Participant-Data-Ind-From	1	Numeric	Located in the Sent FROM the CSENet 2000 server Header records and indicate whether a Participant data block is included in a CSENet 2000 transaction.	CSENet
Participant-Data-Ind-To	1	Numeric	Located in the Sent TO CSENet 2000 server Header records and indicate whether a Participant data block is included in a CSENet 2000 transaction.	CSENet
Participant-Employer-Info-Emp-City	18	Alphanumeric	Located in the Participant data block and indicates the city of the participant's employer.	CSENet
Participant-Employer-Info-Emp-Name	40	Alphanumeric	Located in the Participant data block and indicates the participant's employer name.	CSENet
Participant-Employer-Info-Emp-State	2	Alphanumeric	Located in the Participant data block and indicates the participant's employer's State.	CSENet
Participant-Employer-Info-Emp-Street-Line-1	25	Alphanumeric	Located in the Participant data block. Line 1 of the participant's employer's address.	CSENet

Name	Length	Format	Description	Source
Participant-Employer-Info-Emp-Street-Line-2	25	Alphanumeric	Located in the Participant data block. Line 2 of the participant's employer's address.	CSENet
Participant-Employer-Info-Emp-Zip-1	5	Numeric	Located in the Participant data block and specifies the 1st five digits of the participant's employer's ZIP Code.	CSENet
Participant-Employer-Info-Emp-Zip-2	4	Numeric	Located in the Participant data block and specifies the last four digits of the participant's employer's ZIP Code.	CSENet
Participant-State	2	Alphanumeric	Located in the Participant data block and indicates the participant's State of residence.	CSENet
Participant-Status	1	Alphanumeric	Located in the Participant data block and indicates whether the participant is an active member in this case.	CSENet
Participant-Zip-1	5	Numeric	Located in the Participant data block and specifies the 1st five digits of the participant's ZIP Code.	CSENet
Participant-Zip-2	4	Numeric	Located in the Participant data block and specifies the last four digits of the participant's ZIP Code.	CSENet
Paternity_Established_(Yes/No)				OCSE
Paternity_Establishment_Method_(e.g.,_genetic_test,_voluntary_stipulation)				OCSE
Paternity_Handled_Outside_IV-D_Agency_(Yes/No)				OCSE
Paternity_Non-Establishment_Reason				OCSE
Payment_Due_Date(s)	8	Numeric		OCSE
Payment_Entry_Clerk/Location				OCSE
Payment_Frequency				OCSE
Payment_Identification_Number				OCSE
Payment_Made_To				OCSE
Payment_Mailing_Address				OCSE
Payment_Method_(e.g.,_cash,_check,_EFT)				OCSE
Payment_Method-Interstate				OCSE
Payment_Source_(e.g.,_NCP,_NCP_employer,_SESA,_State_or_Federal_tax_refund_offset_agency)				OCSE
Payment-Amount	12	Numeric	Located in the Collection data block and indicates the total payment received.	CSENet
Payment-City	18	Alphanumeric	Located in the Case data block and indicates the city to which payments are mailed.	CSENet
Payment-FIPS-County	3	Numeric	Located in the Case data block and specifies the 3rd, 4th and 5th digits of the FIPS code used, for the payment mailing address.	CSENet
Payment-FIPS-State	2	Numeric	Located in the Case data block and specifies the 1st and 2nd digits of the FIPS code for the payment mailing address.	CSENet
Payment-FIPS-Sub	2	Alphanumeric	Located in the Case data block and specifies the 6th and 7th digits of the payment FIPS code.	CSENet
Payment-Mail-Address-Line 2	25	Alphanumeric	Located in the Case data block. Line 2 of the address to which payments are mailed.	CSENet
Payment-Mail-Address-Line-1	25	Alphanumeric	Located in the Case data block. Line 1 of the address to which payments are mailed.	CSENet
Payment-Source	1	Alphanumeric	Located in the Collection data block and indicates the source of payment received.	CSENet
Payment-State	2	Alphanumeric	Located in the Case data block and indicates the State to which payments are mailed.	CSENet

Name	Length	Format	Description	Source
Payment-Zip-1	5	Numeric	Located in the Case data block and indicates the 1st five digits of the ZIP Code to which payments are mailed.	CSENet
Payment-Zip-2	4	Numeric	Located in the Case data block and indicates the last four digits of the ZIP Code to which payments are mailed.	CSENet
Phone-Extension	6	Numeric	Located in the Case data block and indicates the contact person's phone extension.	CSENet
Place-Of-Birth-CP	25	Alphanumeric	Located in the Participant data block and indicates the participant's place of birth.	CSENet
Place-Of-Birth-NCP	15	Alphanumeric	Located in the NCP ID data block and indicates the non-custodial parent's birthplace.	CSENet
Possibly-Dangerous	1	Alphanumeric	Located in the NCP ID data block and indicates whether the non-custodial parent is known to be dangerous. This field is not the same as the Family Violence Indicator in the Federal Case Registry.	CSENet
Presumed_Controlling_Order				OCSE
Previous_Enforcement_Action(s)_Taken				OCSE
Processing-Complete	1	Alphanumeric	Located in the Transaction Header Sent From the CSENet 2000 server. This field will be blank filled. (Field reserved for future use.)	CSENet
Professional-Licenses	50	Alphanumeric	Located in the NCP Locate data block and identifies any professional licenses issued to the non-custodial parent.	CSENet
Putative_Father_Name(s)				OCSE
Quick_Locate_Identifier				OCSE
Race-CP	1	Alphanumeric	Located in the Participant data block and indicates the participant's ethnic group.	CSENet
Race-NCP	1	Alphanumeric	Located in the NCP ID data block and indicates the non-custodial parent's ethnic group.	CSENet
RDFI_Account_Number_(relates_to_EFT/EDI)				OCSE
RDFI_Identification_Number_(relates_to_EFT/EDI)				OCSE
RDFI-Account-Num	20	Alphanumeric	Located in the Collection data block and indicates the account number used for electronic funds transfer.	CSENet
RDFI-ID	20	Alphanumeric	Located in the Collection data block and indicates the identification number used for electronic funds transfer.	CSENet
Reason(s)_Enforcement_Action(s)_Failed				OCSE
Reason_for_Closure				OCSE
Reason_for_Dismissal				OCSE
Reason_for_Non-Review				OCSE
Reason_Last_enforcement_Action_Failed				OCSE
Reason_Service-of-Process_Unsuccessful				OCSE
Receipt_Requested_(Yes/No)				OCSE
Registration_of_Foreign_Support_Order				OCSE
Relationship	1	Alphanumeric	Located in the Participant data block and indicates the relationship of the participant in the case.	CSENet
Residential-Address-Confirmed-Ind	1	Alphanumeric	Located in the NCP Locate data block and indicates confirmation of the residential address.	CSENet
Residential-Address-Effective-Date	8	Numeric	Located in the NCP Locate data block and indicates when the non-custodial parent was discovered to be residing at the address.	CSENet

Name	Length	Format	Description	Source
Residential-Address-End-Date	8	Numeric	Located in the NCP Locate data block and indicates when the NCP was no longer at this address.	CSENet
Residential-Address-Line-1	25	Alphanumeric	Located in the NCP Locate data block. Line 1 of the non-custodial parent's residential address.	CSENet
Residential-Address-Line-2	25	Alphanumeric	Located in the NCP Locate data block. Line 2 of the non-custodial parent's residential address.	CSENet
Residential-City	18	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's city of residence.	CSENet
Residential-State	2	Alphanumeric	Located in the NCP Locate data block and indicates the non-custodial parent's State of residence.	CSENet
Residential-Zip-1	5	Numeric	Located in the NCP Locate data block and specifies the 1st five digits of the non-custodial parent's residential ZIP Code.	CSENet
Residential-Zip-2	4	Numeric	Located in the NCP Locate data block and specifies the last 4 digits of the non-custodial parent's residential ZIP Code.	CSENet
Responding_Docket_Number				OCSE
Responding-Docket-Num	17	Alphanumeric	Located in the Case data block and indicates the responding State's docket number.	CSENet
Response_to_Advance_Notice_Received_(Yes/No)				OCSE
Response-Date	8	Numeric	Located in the Transaction Header Sent TO the CSENet 2000 server. This field must be blank filled by the State CSE System. (Field reserved for	CSENet
Responses_of_Location_Attempts				OCSE
Result_of_Action				OCSE
Result_of_Request_to_Contest				OCSE
Send-Payments-Bank-Account	20	Numeric	Located in the Case data block and indicates the bank account number for transfer of payments via Electronic Funds Transfer (EFT).	CSENet
Send-Payments-Routing-Code	10	Numeric	Located in the Case data block and indicates the bank routing code used for the transfer of payments via Electronic Funds Transfer (EFT).	CSENet
Sent-Date	8	Numeric	Located in the Transaction Header Sent TO the CSENet 2000 server and indicates the date the transaction was generated or sent.	CSENet
Sent-Time	6	Numeric	Located in the Transaction Header Sent TO the CSENet 2000 server and indicates the time the transaction was generated or sent.	CSENet
Sent-to-State-Host	1	Alphanumeric	Located in the Transaction Header sent FROM the CSENet 2000 server. This field is blank filled by the CSENet 2000 host. (Field reserved for future use by CSENet 2000.) This field is sent to the State receiving a CSENet 2000 transaction.	CSENet
Spouse-Name-First	16	Alphanumeric	Located in the NCP Locate data block and specifies the first name of the non-custodial parent's spouse.	CSENet
Spouse-Name-Last	21	Alphanumeric	Located in the NCP Locate data block and specifies the last name of the non-custodial parent's spouse.	CSENet

Name	Length	Format	Description	Source
Spouse-Name-Middle	16	Alphanumeric	Located in the NCP Locate data block and specifies the middle name of the non-custodial parent's spouse.	
Spouse-Name-Suffix	3	Alphanumeric	Located in the NCP Locate data block and specifies the name suffix, e.g., Jr., of the non-custodial parent's spouse.	
SSN_of_Each_Case_Participant_(?same_as_participant_SSN?)				
SSN-CP	9	Numeric	Located in the Participant data block and indicates the participant's Social Security Number.	
SSN-NCP	9	Numeric	Located in the NCP ID data block and indicates the non-custodial parent's Social Security Number.	
State-With-CEJ	2	Alphanumeric	Located in the Case data block and indicates the State that has continuing exclusive jurisdiction (CEJ).	
Status-Change-Code	1	Alphanumeric	Located in the Information data block and indicates whether the case status has changed.	
Supervisor_Code				
Termination_of_Employment_Indicator				
Third_Party_Medical_Insurance_(Yes/No)				
Third_Party_Medical_Insurance_Carrier_Address				
Third_Party_Medical_Insurance_Carrier_Name				
Third_Party_Medical_Insurance_Policy_Number				
Time-Received	6	Numeric	Located in the Transaction Header sent FROM the CSENet 2000 server. The State CSE system may fill this field with the time the transaction was received.	
Title_XIX_Case_Number				
Transaction-Date-Error	8	Numeric	Located in the CSENet 2000 Transaction Error Report and contains the value from the Transaction-Date field from the erred transaction. Date is in CCYYMMDD format.	
Transaction-Date-From	8	Numeric	Located in the Sent FROM the CSENet 2000 server Header records and indicates the date this transaction was generated.	
Transaction-Date-To	8	Numeric	Located in the Sent TO CSENet 2000 server Header records and indicates the date this transaction was generated.	
Transaction-Serial-Number-From	12	Numeric	Located in the Sent FROM the CSENet 2000 server Header and specifies a unique sequential number for each transaction sent by the State.	
Transaction-Serial-Number-To	12	Numeric	Located in Sent TO CSENet 2000 server Header records and specifies a unique sequential number for each transaction sent by the State.	
Transaction-Type-From	2	Alphanumeric	Located in the Sent FROM the CSENet 2000 server Header records. This field is reserved for future use. Ignore on received transactions.	
Transaction-Type-To	2	Alphanumeric	Located in Sent TO CSENet 2000 server Header records. This field is reserved for future use. Ignore on received transactions.	
Tribunal_Case_Number				
Tribunal-Case-Number	17	Alphanumeric	Located in the Order data block and indicates the case number issued by the tribunal.	

Name	Length	Format	Description	Source
Txn-Counter	6	Numeric	Located in the CSENet 2000 Transaction Error Report and contains the sequential number assigned to the error by the CSENet 2000 server. Data is in ASCII.	
Type_of_Action_Taken				
Type_of_Arrearage				
Type_of_Asset				
Type_of_Debt				
Type_of_Document/Notice				
Type_of_Document/Notice_Sent				
Type_of_Enforcement_Action_Taken				
Type_of_Fee				
Type_of_Fee_(or_Charge)				
Type_of_Information_Provided				
Type_of_Information_Received/Requested				
Type_of_Judgement				
Type_of_Lien_(e.g.,_house,_car,_securities)				
Type_of_Payment_(e.g.,_fee,_collection,_cost_reco very,_or_recovery_of_direct_payment)				
Type_of_Support_Ordered				
Variable_Narrative_Message				
Verification_Indicator				
Voluntary_or_Legal_Process_Code				
Wage2-Amount	12	Numeric	Located in the NCP Locate data block and indicates the amount of wages reported by the non-custodial parent's 2nd employer.	
Wage2-Qtr	1	Numeric	Located in the NCP Locate data block and indicates the quarter of the year in which wages were reported by the non-custodial parent's 2nd employer.	
Wage2-Year	4	Numeric	Located in the NCP Locate data block and indicates the calendar year in which wages were reported by the non-custodial parent's 2nd employer.	
Wage3-Amount	12	Numeric	Located in the NCP Locate data block and indicates the amount of wages reported by the non-custodial parent's 3rd employer.	
Wage3-Qtr	1	Numeric	Located in the NCP Locate data block and indicates the quarter of the year in which wages were reported by the non-custodial parent's 3rd employer.	
Wage3-Year	4	Numeric	Located in the NCP Locate data block and indicates the calendar year in which wages were reported by the non-custodial parent's 3rd employer.	
Wage-Amount	12	Numeric	Located in the NCP Locate data block and indicates the amount of wages reported by the non-custodial parent's 1st employer.	
Wage-Qtr	1	Numeric	Located in the NCP Locate data block and indicates the quarter of the year in which wages were reported by the non-custodial parent's 1st employer.	
Wage-Year	4	Numeric	Located in the NCP Locate data block and indicates the calendar year in which wages were reported by the non-custodial parent's 1st employer.	
Waiver_of_Fee_Indicator				

Name	Length	Format	Description	Source
Weight	3	Numeric	Located in the NCP ID data block and indicates the weight (in pounds) of the non-custodial parent.	CSENet
Withholding_Initiated_(Yes/No)				OCSE
Withholding_Requested_By				OCSE
Work-Phone	10	Numeric	Located in the Participant data block and indicates the participant's work phone number.	CSENet
Work-Phone-Num	10	Numeric	Located in the NCP Locate data block and indicates the non-custodial parent's work phone number.	CSENet